

Stucco Plaster

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Stucco Plaster **EPS-COAT / BOND**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Building and Construction

1.3. Details of the supplier of the safety data sheet

Innovation in Polymers LLC
 20860 Todd Valley Rd.
 Foresthill, CA 95631
 Phone Number: (530) 367-9190
 Email: info@thedrymixes.com

1.4. Emergency telephone number

CHEMTREC 1, 24 HR EMERGENCY NUMBER: 800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Irrit. 2 H315
 Eye Dam. 1 H318
 Carc. 1A H350

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US):



Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H315 - Causes skin irritation H318 - Causes serious eye damage H350 - May cause cancer H314 - Causes severe skin burns and eye damage.
Precautionary statements (GHS-US)	: P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P264 - Wash thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P302 + P352 - If on skin: Wash with plenty of water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P308 + P313 - If exposed or concerned: Get medical advice/attention P310 - Immediately call a poison center/doctor P332+P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Portland Cement	(CAS No) 65997-15-1	15 - 50	Not classified
Calcium hydroxide	(CAS No) 1305-62-0	0 - 15	Not classified
Silica, Crystalline Quartz	(CAS No) 14808-60-7	10 - 80	Acute Tox. 4 (Oral), H302 Carc. 1A, H350
Kaolin	(CAS No) 1332-58-7	0 - 15	Not classified
Admix	(Trade Secret)	0 - 10	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person immediately to fresh air. Consult a physician as necessary.
First-aid measures after skin contact	: Wash affected area with mild soap and water. If irritation persists, get medical attention.
First-aid measures after eye contact	: Flush immediately with water for at least 15 minutes. Do not rub eyes. If irritation persists, get medical attention.
First-aid measures after ingestion	: Dilute by drinking large quantities of water. If discomfort persists, consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May cause respiratory stress from particulate inhalation.
Symptoms/injuries after skin contact	: Causes skin irritation. Contact with dry product on wet skin or contact with moist or wet product may cause more severe effects including thickening, cracking or fissuring of the skin. Prolonged contact can cause severe skin damage in the form of caustic chemical burns.
Symptoms/injuries after eye contact	: Causes eye irritation. Eye contact with dry product or splashes of wet product may cause chemical burns and blindness.
Symptoms/injuries after ingestion	: Not considered a likely route of entry under normal product use conditions. Ingestion of harmful amounts of dust may cause nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not flammable.
Explosion hazard	: None known.

5.3. Advice for firefighters

Protection during firefighting	: Firefighters should wear full protective gear.
--------------------------------	--

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Clean up immediately using shovel or scoop. Dispose of in accordance with local, state, and federal regulations.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes and skin. Keep in dry areas. Avoid inhalation of dust. Prolonged contact with wet product can cause serious, potentially irreversible skin or eye damage in the form of chemical burns.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep in closed, air-tight containers. Do not store in close proximity to acids.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Calcium hydroxide (1305-62-0)		
ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
Kaolin (1332-58-7)		
ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
Portland Cement (65997-15-1)		
ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)

Silica, Crystalline Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³ (respirable fraction)
OSHA	OSHA PEL (TWA) (mg/m ³)	30 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)

8.2. Exposure controls

Appropriate engineering controls	: Use sufficient local exhaust to reduce the levels of respirable silica to below exposure limits. Minimize the build-up of dust on walls, floors, equipment, and other horizontal surfaces.
Hand protection	: Use neoprene or rubber gloves.
Eye protection	: Use safety glasses, goggles, or face shield under circumstances where particles could cause eye injury.
Skin and body protection	: Wear suitable working clothes.
Respiratory protection	: If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Color	: Dark grey
Odor	: None
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity	: 2.95
Solubility (water)	: Slightly

Log Pow : No data available
 Log Kow : No data available
 Viscosity, kinematic : No data available
 Viscosity, dynamic : No data available
 Explosive properties : No data available
 Oxidizing properties : No data available
 Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

None

10.5. Incompatible materials

None

10.6. Hazardous decomposition products

Not determined

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Calcium hydroxide (1305-62-0)	
LD50 oral rat	7340 mg/kg
ATE US (oral)	7340.000 mg/kg

Silica Crystalline Quartz (14808-60-7)	
LD50 oral rat	500 mg/kg
ATE US (oral)	500.000 mg/kg

Skin corrosion/irritation : Causes skin irritation
 Serious eye damage/irritation : Causes eye irritation
 Respiratory or skin sensitization : Not classified
 Germ cell mutagenicity : Not classified
 Carcinogenicity : May cause cancer

Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated exposure) : Not classified
Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulate potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

In accordance with DOT

Not a dangerous good as defined in transport regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Magnesium hydroxide (1309-42-8)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Kaolin (1332-58-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Portland Cement (65997-15-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Silica, Crystalline Quartz (14808-60-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State regulations

Silica, Crystalline Quartz (14808-60-7)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	

Calcium hydroxide (1305-62-0)
U.S. - Massachusetts - Right to Know List U.S. - Minnesota - Hazardous Substance List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

Kaolin (1332-58-7)
U.S. - Massachusetts - Right to Know List U.S. - Minnesota - Hazardous Substance List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

Portland Cement (65997-15-1)
U.S. - Massachusetts - Right to Know List U.S. - Minnesota - Hazardous Substance List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

Silica Crystalline Quartz (14808-60-7)
U.S. - Massachusetts - Right to Know List U.S. - Minnesota - Hazardous Substance List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 1A	Carcinogenicity Category 1A
Carc. 1B	Carcinogenicity Category 1B
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H335	May cause respiratory irritation
H350	May cause cancer

Creation date: 01/01/22

Revision:01/01/22

Created by: Innovation in Polymers LLC

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

END OF THE SDS

